



KINO FLO[®]
Lighting Systems

DivaLite[®]



Diva-Lite®



The portable Diva-Lite® series have become the industry's most popular professional cool lighting fixtures for film and video location work. The Diva-Lite 415 boasts the company's trademark modular fixture designs with universal input voltage from 100-240VAC, full-range dimming, switching and remote control features. The Diva-Lite 201 fixtures are portable, versatile units designed for the rigors of run and gun lighting for news or commercial video production. The Diva-Lites run cool, flicker-free and energy efficient at only 1.4A/120VAC (Diva-Lite 415). Diva-Lites can go from nighttime to daytime interiors by switching True Match® tungsten for daylight quality lamps. It's like having two set-ups in one!






The Diva-Lite 415 Fixture

- Built-in dimming ballast
- Universal input 100-240VAC
- 4-Lamp/2-Lamp switching
- Remote dimming
- Built-in Barndoors
- Center Mount
- Reflector, Louver, Gel Frame
- True Match® daylight and tungsten balanced lamps

Diva-Lite 201 Fixture

- Built-in dimming ballast
- Remote dimming
- Built-in Barndoors
- Center Mount
- Reflector, Louver, Gel Frame
- True Match® daylight and tungsten balanced lamps

▼ Diva-Lite 415 Universal

-  **DIV-415-120U**
Diva-Lite 415, Univ 120U
-  **DIV-415-230U**
Diva-Lite 415, Univ 230U
-  **GFR-D4**
Diva-Lite 415 Gel Frame (Included)
-  **LVR-D490-P**
Diva-Lite 415 Louver/HP, 90° (Included)
-  **MTP-LBC**
Kino 41 Lollipop w/ Baby Receiver Curve, 16mm (Included)

▼ Diva-Lite 201

-  **DIV-201-120**
Diva-Lite 201, 120VAC
-  **DIV-201-230**
Diva-Lite 201, 230VAC
-  **GFR-D2**
Diva-Lite 201 Gel Frame (Included)
-  **LVR-D290-P**
Diva-Lite 201 Louver/HP, 90° (Included)
-  **MTP-LBC**
Kino 41 Lollipop w/ Baby Receiver Curve, 16mm (Included)

▼ Diva-Lite Cases

-  **KAS-D4-C**
Diva-Lite 415 Travel Case
-  **KAS-D4-CS**
Diva-Lite 415 Travel Case (Stand)
-  **KAS-D2-C**
Diva-Lite 201 Travel Case
-  **KAS-D42**
Diva-Lite 415 Flight Case (2-Unit)
-  **KAS-D22**
Diva-Lite 201 Flight Case (2-Unit)
-  **KAS-CL6**
6-Lamp Carry Case (55W Compact)
-  **KAS-CL4**
4-Lamp Carry Case (55W Compact)

▼ Photometrics

Diva-Lite 415	FC	721	198	90	51	33	23	17	13	11	9
	Feet	2	4	6	8	10	12	14	16	18	20

Diva-Lite 201	FC	309	84	39	22	14	10	7	5.5	4.5	3.5
	Feet	2	4	6	8	10	12	14	16	18	20

Diva-Lite 415	LUX	10500	3030	1410	806	519	364	269	207	166	135
	Meters	0.5	1	1.5	2	2.5	3	3.5	4	4.5	5

Diva-Lite 201	LUX	4705	1287	614	349	225	157	116	90	72	58
	Meters	0.5	1	1.5	2	2.5	3	3.5	4	4.5	5

▼ Fixture Specifications

Fixture	Input Voltage	Output Frequency	Amps	Dimming Range	Lamp Switching	Lamps	Dimensions	Weight w/ Lamps
Diva-Lite 415 Universal	100-240VAC 50/60Hz	80kHz	1.4A	100-5%	4/2	4 x 55W CFL	26 x 12 x 6" w/ 6" barndoors (66 x 30.5 x 15cm w/ 15cm doors)	14.2 lb (6.4kg)
Diva-Lite 415 Universal	240-100VAC 50/60Hz	80kHz	0.7A	100-5%	4/2	4 x 55W CFL	26 x 12 x 6" w/ 6" barndoors (66 x 30.5 x 15cm w/ 15cm doors)	14.2 lb (6.4kg)
Diva-Lite 201	120VAC 50/60Hz	30kHz	1.1A	100-5%	2/off	2 x 55W CFL	26 x 7.5 x 6" w/ 3.5" barndoors (66 x 19 x 15cm w/ 9cm doors)	9 lb (4.1kg)
Diva-Lite 201	230VAC 50/60Hz	30kHz	0.6A	100-5%	2/off	2 x 55W CFL	26 x 7.5 x 6" w/ 3.5" barndoors (66 x 19 x 15cm w/ 9cm doors)	9 lb (4.1kg)

▼ Details



Jason Wilson



Clickbox Studio



Dane Wealer/Michael Norris


▼ Diva-Lite Accessories



DFS-D4
Diva-Lite 415 Flozier, Full



DFS-D4-H
Diva-Lite 415 Flozier, Half



LVR-D460-P
Diva-Lite 415 Louver/HP, 60°



LVR-D260-P
Diva-Lite 201 Louver/HP, 60°

DIM-5
Remote Dimmer



MTP-B41F
Kino Offset
w/ Baby Receiver (16mm)



STD-M30
Medium Duty, 30°



STD-M36
Medium Duty, 36°



STD-D1
Reverse Stand

▼ Diva-Lite Lamps



55C-K32
55W Kino KF32 Compact



55C-K55
55W Kino KF55 Compact

Divalite® Kits

▼ Diva-Lite 415 Universal Kits



KIT-DV4-120U
Diva-Lite 415 Kit, Univ 120U

KIT-DV4-230U
Diva-Lite 415 Kit, Univ 230U

Contents	Dimensions
1 Diva-Lite 415 Universal	28 x 8.5 x 19.5"
1 Flozier, Full	(71 x 22 x 49.5cm)
1 Lamp Case	Weight
1 Travel Case	26 lb (12kg)



KIT-DV4-120U/STD
Diva-Lite 415 Kit, Univ 120U w/ Stand

Contents	Dimensions
1 Diva-Lite 415 Universal	31.5 x 9 x 22"
1 Flozier, Full	(80 x 23 x 56cm)
1 Offset Mount	Weight
1 Medium Duty Stand, 30"	34 lb (15.5kg)
1 Lamp Case	
1 Travel Case	



KIT-DV42-120U
Diva-Lite 415 Kit, Univ 120U (2-Unit) w/ Flight Case

Contents	Dimensions
2 Diva-Lite 415 Universal	22.5 x 16 x 33.5"
2 Flozier, Full	(57 x 41 x 85cm)
2 Offset Mount	Weight
2 Medium Duty Stand, 30"	66 lb (30kg)
2 Lamp Case	
1 Flight Case	

▼ Diva-Lite 201 Kits



KIT-D2-120
Diva-Lite 201 Kit, 120VAC

KIT-D2-230
Diva-Lite 201 Kit, 230VAC

Contents	Dimensions
1 Diva-Lite 201	28 x 8 x 15.5"
1 Flozier, Full	(71 x 20.5 x 39.5cm)
1 Lamp Case	Weight
1 Travel Case	19 lb (9kg)



KIT-D22-120
Diva-Lite 201 Kit, 120VAC (2-Unit) w/ Flight Case

Contents	Dimensions
2 Diva-Lite 201	22.5 x 13.5 x 33.5"
2 Flozier, Full	(57 x 34.5 x 85cm)
2 Offset Mount	Weight
2 Medium Duty Stand, 30"	55 lb (25kg)
1 Lamp Case	
1 Flight Case	



Kino Flo Lighting Systems
2840 North Hollywood Way
Burbank, CA 91505

+1 818 767 6528 voice +1 818 767 7517 fax

www.kinoflo.com

© Kino Flo Diva-Lite
No. 3110092 Rev B