




Fixture photometric table

Fixture model
Color Force II 48


Field 44°	Beam 22°	Magnification x 0.39 Mf	Candelas 77400 Cd	Lumens 13700 lm	Watts 533 w	Lumen/w 25.8 lm/w	
Throw Distance		Field Spread		Beam Spread		Full On	
m	ft	m	ft	m	ft	Lux	Footcandle
1.0 m	3.3 ft	0.8 m	2.7 ft	0.4 m	1.3 ft	77400 lx	7191 fc
2.0 m	6.6 ft	1.6 m	5.3 ft	0.8 m	2.6 ft	19350 lx	1798 fc
3.0 m	9.8 ft	2.4 m	8.0 ft	1.2 m	3.8 ft	8600 lx	799 fc
4.0 m	13.1 ft	3.2 m	10.6 ft	1.6 m	5.1 ft	4838 lx	449 fc
5.0 m	16.4 ft	4.0 m	13.3 ft	1.9 m	6.4 ft	3096 lx	288 fc
6.0 m	19.7 ft	4.8 m	15.9 ft	2.3 m	7.7 ft	2150 lx	200 fc
7.0 m	23.0 ft	5.7 m	18.6 ft	2.7 m	8.9 ft	1580 lx	147 fc
8.0 m	26.2 ft	6.5 m	21.2 ft	3.1 m	10.2 ft	1209 lx	112 fc
9.0 m	29.5 ft	7.3 m	23.9 ft	3.5 m	11.5 ft	956 lx	89 fc
10.0 m	32.8 ft	8.1 m	26.5 ft	3.9 m	12.8 ft	774 lx	72 fc





Fixture photometric table

Fixture model
Color Force II 48
BorderLens




Field 100°	Beam 55°	Magnification x 1.04 Mf	Candelas 13200 Cd	Lumens 12100 lm	Watts 533 w	Lumen/w 22.9 lm/w		
Throw Distance		Field Spread		Beam Spread		Full On		
m	ft	m	ft	m	ft	Lux	Footcandle	
1.0 m	3.3 ft	2.4 m	7.8 ft	1.0 m	3.4 ft	13200 lx	1226 fc	
2.0 m	6.6 ft	4.8 m	15.6 ft	2.1 m	6.8 ft	3300 lx	307 fc	
3.0 m	9.8 ft	7.2 m	23.5 ft	3.1 m	10.2 ft	1467 lx	136 fc	
4.0 m	13.1 ft	9.5 m	31.3 ft	4.2 m	13.7 ft	825 lx	77 fc	
5.0 m	16.4 ft	11.9 m	39.1 ft	5.2 m	17.1 ft	528 lx	49 fc	
6.0 m	19.7 ft	14.3 m	46.9 ft	6.2 m	20.5 ft	367 lx	34 fc	
7.0 m	23.0 ft	16.7 m	54.7 ft	7.3 m	23.9 ft	269 lx	25 fc	
8.0 m	26.2 ft	19.1 m	62.6 ft	8.3 m	27.3 ft	206 lx	19 fc	
9.0 m	29.5 ft	21.5 m	70.4 ft	9.4 m	30.7 ft	163 lx	15 fc	
10.0 m	32.8 ft	23.8 m	78.2 ft	10.4 m	34.2 ft	132 lx	12 fc	



Fixture photometric table

Fixture model
Color Force II 48
CycLens



Throw Distance		Field Spread		Beam Spread		Full On	
m	ft	m	ft	m	ft	Lux	Footcandle
1.0 m	3.3 ft	1.5 m	5.0 ft	0.6 m	2.1 ft	21300 lx	1979 fc
2.0 m	6.6 ft	3.1 m	10.1 ft	1.3 m	4.1 ft	5325 lx	495 fc
3.0 m	9.8 ft	4.6 m	15.1 ft	1.9 m	6.2 ft	2367 lx	220 fc
4.0 m	13.1 ft	6.1 m	20.1 ft	2.5 m	8.3 ft	1331 lx	124 fc
5.0 m	16.4 ft	7.7 m	25.2 ft	3.2 m	10.3 ft	852 lx	79 fc
6.0 m	19.7 ft	9.2 m	30.2 ft	3.8 m	12.4 ft	592 lx	55 fc
7.0 m	23.0 ft	10.7 m	35.2 ft	4.4 m	14.5 ft	435 lx	40 fc
8.0 m	26.2 ft	12.3 m	40.3 ft	5.0 m	16.6 ft	333 lx	31 fc
9.0 m	29.5 ft	13.8 m	45.3 ft	5.7 m	18.6 ft	263 lx	24 fc
10.0 m	32.8 ft	15.3 m	50.3 ft	6.3 m	20.7 ft	213 lx	20 fc

Field 75° **Beam** 35° **Magnification** x 0.63 Mf **Candelas** 21300 Cd **Lumens** 11500 lm **Watts** 533 w **Lumen/w** 21.7 lm/w